

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Fig. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C

500




FIG. 6




FIG. 7A




FIG. 7B

0.6621 mpp

Ø1.3242




FIG. 8A

Ø1.8727




FIG. 8B

Ø2.6484




FIG. 8C

Ø3.7454




FIG. 8D

0.4797 mpp

ø0.9594




FIG. 8E

ø1.3568




FIG. 8F

ø1.9188




FIG. 8G

ø2.7136




FIG. 8H




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 9D




FIG. 10A




FIG. 10B




FIG. 10C






FIG. 11A






FIG. 12




FIG. 13 generalized method for inspecting substrate.




FIGURE : Grayscale image of paste using "white" light source.

FIG 14




FIGURE : Weighted paste-only image via unique texture-based method.

FIG. 15




FIGURE 2a: RGB image of UV enhanced fluorescent paste.




FIGURE 2b: Binary paste-only image from blue channel via single threshold method.

FIGS 16

Fig 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

Arguing &
Processed Image




FIG. 22

2200

Enhanced
Image of
Gap



(A)

Paste-Only
Image of
Gap



(B)

45% Weighted
Paste Coverage
in Gap

Paste-Only Image, Projection of the Gap onto the Y Axis





FIG. 23

Gap Projection and Sliding Average


Run-Time Tile

Paste-Only Tile



Gap ROI

Weighted Projection



Raw Image of Gap



(A)

Paste-Only Image of Gap



(B)

36% Weighted Paste Coverage in Gap




FIG. 25

Effect of Pad Size Variations




FIG. 26




FIG. 27




FIG. 28 28

All "Bridges" Shown are 6% of Gap




FIG. 29

"Bridges" are 18% of Gap





FIG. 30 "Bridges" are 36% of Gap



Other Gap Defects

FIG. 31